



FAIRVIEW™

DEFINING ARCHITECTURE SINCE 1988



fibrefast®


FACTORY PAINTED FIBRE CEMENT / MANUFACTURED BY FAIRVIEW

PRODUCT INFORMATION

ABOUT FIBREFAST

Fibrefast is a 9mm prefinished, factory-painted compressed fibre cement facade system by Fairview offering a practical and cost-effective solution for budget-driven projects in commercial and residential applications. The panels are pre-painted with a factory applied, highly durable acrylic coating and delivered to site with a protective film to maintain the coating during handling and installation, speeding up construction time, reducing complexity and offering a superior finish compared to on-site painted CFC panels. The 9mm panels also feature a charcoal baseboard, delivering a clean and defined shadow-joint appearance.

Installed as a ventilated rainscreen facade, Fibrefast supports effective moisture management and consistent thermal performance across Australian climates. Bringing together the proven performance of compressed fibre cement with the reliability of a factory-applied finish, Fibrefast provides an efficient, durable and ready-to-install solution that supports both design quality and onsite efficiency.



PROPERTIES

Length	2500/3000
Width	1200mm
Thickness	9mm
Weight	15kg/m ²

PRODUCT FEATURES

Material	Compressed Fibre Cement
Finish	Factory-applied acrylic coating.
Fixing System	Colour coded wafer head screws - Face fix
Application	Type A and B constructions such as education, multi-residential, shopping centres and industrial projects.
Warranty	5-year warranty on coating and 10-year warranty on panel, subject to standard terms and conditions.

KEY BENEFITS



INSTALLATION EFFICIENCY

Fibrefast panels arrive factory-finished with no onsite painting or curing required. This minimises onsite complexities, coordination requirements and weather-related delays, supporting more predictable and efficient project timelines.



COST EFFICIENT

The prefinished, factory-painted panels support faster installation and lower the need for additional trades, onsite painting and extended scaffolding requirements.



ENERGY EFFICIENT

The ventilated rainscreen facade system improves building performance through effective moisture management, enhancing thermal efficiency and supporting healthier building envelopes.



COATING QUALITY

Each panel is finished with a smooth acrylic coating that is uniform in colour and thickness. The finish is durable, impact-resistant and backed by a 5-year coating warranty, offering confidence and consistency across every project.



EASILY CUT ONSITE

The combination of a flexible acrylic surface coating and a through-coloured charcoal baseboard allows panels to be cut cleanly without affecting their appearance.




DURABILITY

As a compressed fibre cement product, Fibrefast delivers proven strength, impact resistance, and dimensional stability, ensuring long-term performance in harsh Australian environments.


STANDARD COLOURS

Fibrefast's durable acrylic coating is available in four standard colours, including:



CRYSTAL WHITE

FF1005



ALPINE WHITE

FF9210



GRANITE GREY

FF1270




RAVEN


FF9130

Fibrefast can also be colour-matched, providing access to an unlimited range of colour options. Extended lead times apply.

FIBREFAST FACADE SYSTEM

Fairview offers a comprehensive range of sub-framing components available through the Vitrafix range, designed to seamlessly integrate with the Fibrefast cladding system, ensuring full compliance with building codes. These sub-framing components are engineered to support the structural integrity of the cladding while providing a reliable foundation that enhances the overall performance of the system.





WARRANTY

5-year warranty on coating and 10-year warranty on panel, subject to standard terms and conditions.

DISCLAIMER

While the information provided relating to Fibrefast is true to the tests and measures available to us, the information provided in this brochure is general in nature and does not constitute project-specific advice. Before acting on any information in this document, you should consider the appropriateness of the information in regard to your project parameters and requirements.

Fibrefast products are subject to natural variation as part of the manufacturing process. Colours shown in this brochure are as accurate as possible, however, due to the limitations of the printing process and lighting changes, we recommend requesting a physical sample for final colour selection or approval.



REQUEST A SAMPLE



FAIRVIEW™

DEFINING ARCHITECTURE SINCE 1988



SALES ENQUIRIES 1800 007 175

SALES@FV.COM.AU

FV.COM.AU

FIBREFAST® / MARCH 2026